





Catálogo de **mancais**


OBM[®]
HP

Moving on.

MANCAIS BIPARTIDOS



CATÁLOGO ROLAMENTOS



	Mancal	Medidas												Massa		Acessórios					
Eixo	Número	D	J	L	H	H ₁	H ₂	A	A ₁	N ₁	N ₂	C	G	Peso	Eixo	Rolamentos		Bucha	Anel de Bloqueio	Vedacao	
mm		mm												Kg	mm	Números				Qtd/pcs	Tipo
20	SN505	52	130	165	40	22	75	67	46	15	20	25	M12	1,100	20	1205K		H205	FR62X5	2	Feltro
																2205K	22205K	H305	FR52X7	1	
	SN605	62	150	185	50	22	90	80	52	15	20	32	M12	1,600		1305K	21305K	H305	FR62X8,5	2	Feltro
																2305K		H2305	FR62X10	1	
	SNH505	52	130	165	40	22	75	67	46	15	20	25	M12	1,450		1205K		H205	FR52X5	2	TA, TG, TC
																2205K	22205K	H305	FR52X7	1	
25	SNH605	62	150	185	50	22	90	77	52	15	20	32	M12	2,100	25	1305K		H305	FR62X7,5	2	TA, TG, TC
																2305K		H2305	FR62X4	2	
	SN506	62	150	185	50	22	90	77	52	15	20	32	M12	1,700		1206K		H206	FR62X7	2	Feltro
																2206K	22206K	H306	FR62X10	1	
	SN606	72	150	185	50	22	95	82	52	15	20	34	M12	1,800		1306K	21306K	H306	FR72X9	2	Feltro
																2306K		H2306	FR72X10	1	
30	SNH506	62	150	185	50	22	89	77	52	15	20	32	M12	2,000	30	1206K		H206	FR62X8	2	TA, TG, TC
																2206K	22206K	H306	FR62X6	2	
	SNH607	72	150	185	50	22	93	82	52	15	20	34	M12	2,100		1306K		H306	FR72X7,5	2	TA, TG, TC
																2306K		H2306	FR72X7	1	
	SN507	72	150	185	50	22	95	82	52	15	20	34	M12	1,900		1207K		H207	FR72X8	2	Feltro
																2207K	22207K	H307	FR72X10	1	
35	SN607	80	170	205	60	25	110	90	60	15	20	39	M12	2,600	35	1307K	21307K	H307	FR80X10	2	Feltro
																2307K		H2307	FR80X10	1	
	SNH507	72	150	185	50	22	93	82	52	15	20	34	M12	2,100		1207K		H207	FR72X8,5	2	TA, TG, TC
																2207K	22207K	H307	FR72X5,5	2	
	SNH607	80	170	205	60	25	107	85	60	15	20	39	M12	2,650		1307K		H307	FR80X9	2	TA, TG, TC
																2307K		H2307	FR80X4	2	
40	SN508	80	170	205	60	25	110	85	60	15	20	39	M12	2,600	40	1208K		H208	FR80X7,5	2	Feltro
																2208K	22208K	H308	FR80X10	1	
	SN608	90	170	205	60	25	115	95	60	15	20	41	M12	2,900		1308K	21308K	H308	FR90X10	2	Feltro
																2308K	22308K	H2308	FR90X10	1	
	SNH508	80	170	205	60	25	107	85	60	15	20	39	M12	2,650		1208K		H208	FR80X10,5	2	TA, TG, TC
																2208K	22208K	H308	FR80X8	2	
45	SNH608	90	170	205	60	25	113	90	60	15	20	41	M12	3,000	45	1308K	21308K	H308	FR90X9	2	TA, TG, TC
																2308K	22308K	H2308	FR90X4	2	
	SN509	85	170	205	60	25	112	85	60	15	20	30	M12	2,800		1209K		H209	FR85X6	2	Feltro
																2209K	22209K	H309	FR85X8	1	
	SN609	100	210	255	70	28	130	105	70	18	24	44	M16	4,100		1309K	21309K	H309	FR100X10,5	2	Feltro
																2309K	22309K	H2309	FR100X10	1	
50	SNH509	85	170	205	60	25	109	85	60	15	20	30	M12	3,000	50	1209K		H209	FR85X5,5	2	TA, TG, TC
																2209K	22209K	H309	FR85X3,5	2	
	SNH609	100	210	255	70	28	127	95	70	18	24	44	M16	4,250		1309K	21309K	H309	FR100X9,5	2	TA, TG, TC
																2309K	22309K	H2309	FR100X4	2	
	SN510	90	170	205	60	25	115	90	60	15	20	41	M12	3,100		1210K		H210	FR90X6,5	2	Feltro
																2210K	22210K	H310	FR90X10	1	
55	SN610	110	210	255	70	30	135	105	70	18	24	48	M16	4,700	55	1310K	21310K	H310	FR110X11,5	2	Feltro
																2310K	22310K	H2310	FR110X10	1	
	SNH510	90	170	205	60	25	113	90	60	15	20	41	M12	3,000		1210K		H210	FR90X10,5	2	TA, TG, TC
																2210K	22210K	H310	FR90X9	2	
	SNH610	110	210	255	70	30	133	105	70	18	24	48	M16	5,250		1310K	21310K	H310	FR110X10,5	2	TA, TG, TC
																2310K	22310K	H2310	FR110X4	2	
60	SN511	100	210	255	70	28	130	95	70	18	24	44	M16	4,500	60	1211K		H211	FR100X6	2	Feltro
																2211K	22211K	H311	FR100X8	1	
	SN611	120	230	275	80	30	150	120	80	18	24	51	M16	5,800		1311K	21311K	H311	FR120X12	2	Feltro
																2311K	22311K	H2311	FR120X10	1	
	SNH511	100	210	255	70	28	127	95	70	18	24	44	M16	4,250		1211K		H211	FR100X11,5	2	TA, TG, TC
																2211K	22211K	H311	FR100X9,5	2	
65	SNH611	120	230	275	80	30	148	110	80	18	24	51	M16	6,300	65	1311K	21311K	H311	FR120X11	2	TA, TG, TC
																2311K	22311K	H2311	FR120X4	2	
	SN512	110	210	255	70	30	135	105	70	18	24	48	M16	5,100		1212K		H212	FR110X8	2	Feltro
																2212K	22212K	H312	FR110X10	1	
	SN612	130	230	280	80	30	155	125	80	18	24	56	M16	6,500		1312K	21312K	H312	FR130X12,5	2	Feltro
																2312K	22312K	H2312	FR130X10	1	
70	SNH512	110	210	255	70	30	133	105	70	18	24	48	M16	5,300	70	1212K		H212	FR110X13	2	TA, TG, TC
																2212K	22212K	H312	FR110X10	2	
	SNH612	130	230	280	80	30	154	115	80	18	24	56	M16	6,900		1312K	21312K	H312	FR130X12,5	2	TA, TG, TC
																2312K	22312K	H2312	FR130X5	2	
	SN513	120	230	275	80	30	150	110	80	18	24	51	M16	5,600		1213K		H213	FR120X10	2	Feltro
																2213K	22213K	H313	FR120X12	1	
75	SN613	140	260	315	95	32	175	130	90	22	27	58	M20	8,700	75	1313K	21313K	H313	FR140X12,5	2	Feltro
																2313K	22313K	H2313	FR140X10	1	
	SNH513	120	230	275	80	30	148	110	80	18	24	51	M16	6,300		1213K		H213	FR120X14	2	TA, TG, TC
																2213K	22213K	H313	FR120X10	2	
	SNH613	140	260	315	95	32	175	120	90	22	28	58	M20	9,400		1313K	21313K	H313	FR140X12,5	2	TA, TG, TC
																2313K	22313K	H2313	FR140X5	2	

CATÁLOGO ROLAMENTOS

	Mancal	Medidas												Massa		Acessórios					
Exo	Número	D	J	L	H	H ₁	H ₂	A	A ₁	N ₁	N ₂	C	G	Peso	Exo	Rolamentos		Bucha	Anel de Bloqueio		Vedacao
mm		mm												Kg	mm	Números				Qtd/pcs	Tipo
65	SN515	130	230	280	80	30	155	115	80	18	24	56	M16	7,100	65	1215K		H215	FR130X8	2	Feltro
																2215K	22215K	H315	FR130X10	1	
	SN615	160	290	345	100	35	195	140	100	22	28	65	M20	11,300		1315K	21315K	H315	FR160X14	2	Feltro
																2315K	22315K	H2315	FR160X10	1	
	SNH515	130	230	280	80	30	154	115	80	18	24	56	M16	6,900		1215K		H215	FR130X15,5	2	TA, TG, TC
																2215K	22215K	H315	FR130X12,5	2	
70	SNH615	160	290	345	100	35	193	140	100	22	28	65	M20	12,600	70	1315K	21315K	H315	FR160X14	2	TA, TG, TC
																2315K	22315K	H2315	FR160X5	2	
	SN516	140	260	315	95	32	175	120	90	22	28	58	M20	9,100		1216K		H216	FR140X8,5	2	Feltro
																2216K	22216K	H316	FR140X10	1	
	SN616	170	290	345	112	35	212	145	100	22	28	68	M20	12,600		1316K	21316K	H316	FR170X14,5	2	Feltro
																2316K	22316K	H2316	FR170X10	1	
75	SNH516	140	260	315	95	32	175	120	90	22	28	58	M20	9,400	75	1216K		H216	FR140X16	2	TA, TG, TC
																2216K	22216K	H316	FR140X12,5	2	
	SNH616	170	290	345	112	35	210	145	100	22	28	68	M20	13,500		1316K	21316K	H316	FR170X14,5	2	TA, TG, TC
																2316K	22316K	H2316	FR170X5	2	
	SN517	150	260	320	95	32	185	125	90	22	28	61	M20	10,100		1217K		H217	FR150X9	2	Feltro
																2217K	22217K	H317	FR150X10	1	
80	SN617	180	320	380	112	40	218	155	110	26	32	70	M24	15,100	80	1317K	21317K	H317	FR180X14,5	2	Feltro
																2317K	22317K	H2317	FR180X10	1	
	SNH517	150	260	320	95	32	183	125	90	22	28	61	M20	9,600		1217K		H217	FR150X16,5	2	TA, TG, TC
																2217K	22217K	H317	FR150X12,5	2	
	SNH617	180	320	380	112	40	215	160	110	26	32	70	M24	16,500		1317K	21317K	H317	FR180X14,5	2	TA, TG, TC
																2317K	22317K	H2317	FR180X5	2	
85	SN518	160	290	345	100	35	195	145	100	22	28	65	M20	13,100	85	1218K		H218	FR160X16,5	2	Feltro
																2218K	22218K	H318	FR160X11,2	2	
																23218K		H2318	FR160X10	1	
	SN618	190	320	380	112	40	225	160	110	26	32	74	M24	19,100		1318K	21318K	H318	FR190X15,5	2	
																2318K	22318K	H2318	FR190X10	1	
	SNH518	160	290	345	100	35	193	140	100	22	28	65	M20	12,600		1218K		H218	FR160X17,5	2	TA, TG, TC
90															90	2218K	22218K	H318	FR160X12,5	2	
																23218K		H2318	FR160X6,25	2	
	SNH618	190	320	380	112	40	229	155	110	26	32	74	M24	16,700		1318K	21318K	H318	FR190X15,5	2	TA, TG, TC
																2318K	22318K	H2318	FR190X5	2	
																2319K		H2319	FR190X5	2	
	SN519	170	290	345	112	35	210	140	100	22	28	68	M20	15,100		1219K		H219	FR170X10,5	2	Feltro
95															95	2219K	22219K	H319	FR170X10	1	
	SN619	200	350	410	125	45	245	170	120	26	32	80	M24	22,100		1319K	21319K	H319	FR200X16	2	Feltro
																2319K	22319K	H2319	FR200X10	1	
	SNH519	170	290	345	112	35	210	145	100	22	28	68	M20	13,500		1219K		H219	FR170X18	2	TA TG TC
																2219K	22219K	H319	FR170X12,5	2	
	SNH619	200	350	410	125	45	239	175	120	26	32	80	M24	22,500		1319K	21319K	H319	FR200X17,5	2	TA, TG, TC
100															100	2319K	22319K	H2319	FR200X6,5	2	
	SN520	180	320	380	112	40	218	160	110	26	32	70	M24	18,500		1220K		H220	FR180X18,1	2	Feltro
																2220K	22220K	H320	FR180X12,1	2	
																23220K		H2320	FR180X10	1	
	SN620	215	350	410	140	45	270	175	120	26	32	86	M24	25,100		1320K	21320K	H320	FR215X18	2	Feltro
																2320K	22320K	H2320	FR215X10	1	
105	SNH520	180	320	380	112	40	215	160	110	26	32	70	M24	16,700	105	1220K		H220	FR180X18	2	TA, TG, TC
																2220K	22220K	H320	FR180X12	2	
																23220K		H2320	FR180X4,85	2	
	SNH620	215	350	410	140	45	271	185	120	26	32	86	M24	27,500		1320K	21320K	H320	FR215X19,5	2	TA, TG, TC
																2320K	22320K	H2320	FR215X6,5	2	
110	SN3122	180	320	380	112	40	218	155	110	26	32	66	M24	18,100	110	23122K		H3122	FR180X10	1	Feltro
	SN522	200	350	410	125	45	240	175	120	26	32	80	M24	20,100		1222K		H222	FR200X21	2	Feltro
																2222K	22222K	H322	FR200X13,5	2	
																23222K		H2322	FR200X10	1	
	SN622	240	390	450	150	50	300	190	130	28	36	90	M24	32,100		1322K	21322K	H322	FR240X20	2	Feltro
																2322K	22322K	H2322	FR240X10	1	
115	SNH522	200	250	410	125	45	239	175	120	26	32	80	M24	22,500	115	1222K		H222	FR200X21	2	TA, TG, TC
																2222K	22222K	H322	FR200X13,5	2	
																23222K		H2322	FR200X10	1	
	SNH622	240	390	450	150	50	298	185	130	28	35	90	M24	34,600		1322K	21322K	H322	FR240X20	2	TA, TG, TC
																2322K	22322K	H2322	FR240X5	2	
120	SN3024	180	320	380	112	40	218	150	110	26	32	56	M24	16,100	120	23024K		H3024	FR180X10	1	Feltro
	SN3124	200	350	410	125	45	245	165	120	26	32	72	M24	20,100		23124K		H3124	FR200X10	1	Feltro
	SN524	215	350	410	140	45	270	185	120	26	32	86	M24	24,500		22224K		H3124	FR215X14	2	Feltro
																23224K		H2324	FR215X10	1	
	SN624	260	450	530	160	60	320	200	160	33	42	96	M30	48,100		23224K		H2324	FR260X10	1	Feltro
	SNH524	215	350	410	140	45	271	185	120	26	32	86	M24	27,500		22224K		H3124	FR215X14	2	TA, TG, TC
125															125	23224K		H2324	FR215X5	2	
	SNH624	260	450	530	160	60	321	190	160	35	42	98	M30	41,800		23224K		H2324	FR260X6	2	TA, TG, TC
	SN3026	200	350	410	125	45	240	160	120	26	32	62	M24	19,100		23026K		H3026	FR200X10	1	Feltro
	SN3126	210	350	410	140	45	270	170	120	26	32	74	M24	26,100		23126K		H3126	FR210X10	1	Feltro
	SN526	230	380	445	150	50	290	190	130	28	35	90	M24	30,100		22226K		H3126	FR230X13	2	Feltro
																23226K		H2326	FR230X10	1	
130															130	23226K		H2326	FR280X10	1	Feltro
	SN626	280	470	550	170	60	340	210	160	35	42	103	M30	56,100		22226K		H3126	FR230X13	2	TA, TG, TC
	SNH526	230	380	445	150	50	290	190	130	28	35	90	M24	34,600		23226K		H2326	FR230X5	2	
																23226K		H2326	FR280X6,5	2	TA, TG, TC
	SNH626	280	470	550	170	60	344	205	160	35	42	106	M30	47,600		23228K		H3028	FR210X10	1	Feltro
	SN3028	210	350	410	140	45	270	170	120	26	32	63	M24	25,100		23128K		H3128	FR225X10	1	Feltro
135	SN3128	225	380	445	150	50	290	180	130	28	36	78	M24	32,100	135	22228K		H3128	FR250X15	2	Feltro
	SN528	250	420	500																	



CATÁLOGO ROLAMENTOS

	Mancal	Medidas												Massa		Acessórios					
Eixo	Número	D	J	L	H	H ₁	H ₂	A	A ₁	N ₁	N ₂	C	G	Peso	Eixo	Rolamentos		Bucha	Anel de Bloqueio		Vedacao
mm		mm												Kg	mm	Números				Qtd/pcs	Tipo
135	SN3030	225	380	445	150	50	290	175	130	28	35	66	M24	29,100	135	23030K		H3030	FR225X10	1	Feltro
	SN3130	250	420	500	150	50	305	200	150	35	42	90	M30	38,100		23130K		H3130	FR250X10	1	Feltro
	SN530	270	450	530	160	60	325	220	160	35	42	106	M30	46,100		22230K		H3130	FR270X16,5	2	Feltro
																23230K		H2330	FR270X10	1	
	SN630	320	560	650	190	65	385	245	180	35	45	118	M30	98,100		22320K		H2330	FR320X10	1	Feltro
	SNH530	270	450	530	160	60	323	220	160	35	42	106	M30	47,600		22230K		H3130	FR270X16,5	2	TA, TG, TC
																23230K		H2330	FR270X5	2	
	SNH630	320	560	650	190	65	386	225	180	35	42	118	M30	53,500		22330K		H2330	FR320X5	2	TA, TG, TC
140	SN3032	240	390	450	150	50	300	190	130	28	35	70	M24	32,100	140	23032K		H3032	FR240X10	1	Feltro
	SN3132	270	450	530	160	60	325	215	160	35	42	96	M30	48,100		23132K		H3132	FR270X10	1	Feltro
	SN532	290	470	530	170	60	345	235	160	35	42	114	M30	50,100		22232K		H3132	FR290X17	2	Feltro
																23232K		H2332	FR290X10	1	
	SN632	340	580	680	200	70	405	255	190	42	50	124	M36	115,100		22332K		H2332	FR340X10	1	Feltro
	SNH532	290	470	550	170	60	344	235	160	35	42	114	M30	54,500		22232K		H3132	FR290X17	2	TA, TG, TC
																23232K		H2332	FR290X5	2	
	SNH632	340	580	680	200	70	406	235	190	42	50	124	M36	70,000		22332K		H2332	FR340X5	2	TA, TG, TC

MANCAIS MONOBLOCOS





CATÁLOGO ROLAMENTOS




Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)									Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	a	e	i	b	g	L	N	E	S			
UCFL 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.8976 99	3.0000 76.2	0.5906 15	2.2441 57	0.4331 11	1.0039 25.5	0.4528 11.5	1.3110 33.3	0.5000 12.7	UC 201 201-8 202 202-10 203 203-11	FL 203	0.56
UCFL 204 204-12	3/4	20	4.4488 113	3.5433 90	0.5906 15	2.3622 60	0.4331 11	1.0039 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 204 204-12	FL 204	0.52
UCFL 205 205-14 202-15 202-16	7/8 15/16 1	25	5.1181 130	3.8976 99	0.6299 16	2.6772 68	0.5118 13	1.0630 27	10.6299 16	1.4094 35.8	0.5630 14.3	UC 205 205-14 202-15 202-16	FL 205	0.64
UCFL 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	5.8268 148	4.6063 117	0.7087 18	3.1496 80	0.5118 13	1.2205 31	0.6299 16	1.5827 40.2	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	FL 206	0.93
UCFL 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	6.3386 161	5.1181 130	0.7480 19	3.5433 90	0.5906 15	1.3386 34	0.6299 16	1.7480 44.4	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	FL 207	1.20
UCFL 208 208-24 208-25	1-1/2 1-9/16	40	6.8898 175	5.6693 144	0.8268 21	3.9370 100	0.5906 15	1.4173 36	0.6299 16	2.0157 51.2	0.7480 19.0	UC 208 208-24 208-25	FL 208	1.59
UCFL 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	7.4016 188	5.8268 148	0.8661 22	4.2520 108	0.6299 16	1.4961 38	0.7480 19	2.0551 52.2	0.7480 19.0	UC 209 209-26 209-27 209-28	FL 209	1.81
UCFL 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	7.7559 197	6.1811 157	0.8661 22	4.5276 115	0.6299 16	1.5748 40	0.7480 19	2.1496 54.6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	FL 210	2.15
UCFL 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	8.8199 224	7.2441 184	0.9842 25	5.1181 130	0.7087 18	1.6929 43	0.7480 19	2.2992 58.4	0.874 22.2	UC 211 211-32 211-33 211-34 211-35	FL 211	3.10
UCFL 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	9.8425 250	7.9528 202	1.1417 29	5.5118 140	0.7087 18	1.8898 48	0.9055 23	2.7047 68.7	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	FL 212	3.99
UCFL 213 213-40 213-41	2-1/2 2-9/16	65	10.157 258	8.2677 210	2.1811 30	6.1024 155	0.8661 22	1.9685 50	0.9055 23	1.7441 69.7	1.0000 25.4	UC 213 213-40 213-41	FL 213	4.96
UCFL 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	10.433 265	8.5039 216	1.2205 31	6.2992 160	0.8661 22	2.1260 54	0.9055 23	2.9685 75.4	1.1890 30.2	UC 214 214-42 214-43 214-44	FL 214	5.60
UCFL 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	10.827 275	8.8553 225	1.3386 34	6.4961 165	0.8661 22	2.2047 56	0.9055 23	3.0906 78.5	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	FL 215	6.21
UCFL 216 216-50	3-1/8	80	11.417 290	9.1733 233	1.3386 34	7.0866 180	0.8661 22	2.2835 58	0.9842 25	3.2795 83.3	vv1.3110 33.3	UC 216 216-50	FL 216	7.69
UCFL 217 217-52	3-1/4	85	12.008 305	9.7638 248	1.4173 36	7.4803 190	0.9449 24	2.4803 63	0.9842 25	3.4488 87.6	1.3425 34.1	UC 217 217-52	FL 217	9.15
UCFL 218 218-56	3-1/2	90	12.598 320	10.433 265	1.5748 40	8.0709 205	0.9449 24	2.6772 68	0.9842 25	3.7913 96.3	1.5630 39.7	UC 218 218-56	FL 218	10.95

CATÁLOGO ROLAMENTOS





Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)															Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	w	h	g	b	N	q	o	a	e	p	j	k	L	B	s			
UCT 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.7008 94	2.4016 61	0.3937 10	2.0079 51	0.7480 19	1.2598 32	0.6299 16	3.5039 89	2.9921 76	2.0079 51	1.2598 32	0.4724 12	0.8268 21	1.2205 31.0	0.5000 12.7	UC 201 201-8 202 202-10 203 203-11	T 204	0.93
UCT 204 204-12	3/4	20	3.7008 94	2.4016 61	0.3937 10	2.0079 51	0.7480 19	1.2598 32	0.6299 16	3.5039 89	2.9921 76	2.0079 51	1.2598 32	0.4724 12	0.8268 21	1.2205 31.0	0.5000 12.7	UC 204 204-12	T 204	0.89
UCT 205 205-14 202-15 202-16	7/8 15/16 1	25	1.8159 97	2.4409 62	0.3937 10	2.0079 51	0.7480 19	1.2598 32	0.6299 16	3.5039 89	2.9921 76	2.0079 51	1.2598 32	0.4724 12	0.9449 24	1.3425 34.1	0.5630 14.3	UC 205 205-14 202-15 202-16	T 205	0.99
UCT 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4488 113	2.7559 70	0.3937 10	2.2441 57	0.8661 22	1.4567 37	0.6299 16	4.0157 102	3.5039 89	2.2047 56	1.4567 37	0.4724 12	1.1024 28	1.5000 38.1	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	T 206	1.46
UCT 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	5.0787 129	3.0709 78	0.5118 13	2.5197 64	0.8661 22	1.4567 37	0.6299 16	4.0157 102	3.5039 89	2.5197 64	1.4567 37	0.4724 12	1.1811 30	1.6890 42.9	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	T 207	1.81
UCT 208 208-24 208-25	1-1/2 1-9/16	40	5.6693 144	3.4646 88	0.6299 16	3.2677 83	1.1417 29	1.9291 49	0.7480 19	4.4882 114	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.2992 33	1.9370 49.2	0.7480 19.0	UC 208 208-24 208-25	T 208	2.68
UCT 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	5.6693 144	3.4252 87	0.6299 16	3.2677 83	1.1417 29	1.9291 49	0.7480 19	4.6063 117	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.3780 35	1.9370 49.2	0.7480 19.0	UC 209 209-26 209-27 209-28	T 209	2.99
UCT 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	5.8661 149	3.5433 90	0.6299 16	3.3858 86	1.1417 29	1.9291 49	0.7480 19	4.6063 117	4.0157 102	3.2677 83	1.9291 49	0.6299 16	1.4567 37	2.0315 51.6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	T 210	2.98
UCT 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	6.7323 171	1.1732 106	0.7480 19	3.7402 95	1.3780 35	2.5197 64	0.9842 25	5.7480 146	5.1181 130	4.0157 102	2.5197 64	0.8661 22	1.4961 38	2.1890 55.6	0.8740 22.2	UC 211 211-32 211-33 211-34 211-35	T 211	4.51
UCT 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	7.6378 194	4.6850 119	0.7480 19	4.0157 102	1.3780 35	2.5197 64	1.2598 32	5.7480 146	5.1181 130	4.0157 102	2.5197 64	0.8661 22	1.6535 42	2.5630 65.1	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	T 212	5.57
UCT 213 213-40 213-41	2-1/2 2-9/16	65	8.8189 224	5.3937 137	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.7323 44	2.5630 65.1	1.0000 25.4	UC 213 213-40 213-41	T 213	7.40
UCT 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	8.8189 224	5.3937 137	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.8110 46	2.9370 74.6	1.1890 30.2	UC 214 214-42 214-43 214-44	T 214	7.66
UCT 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	9.1338 232	5.5118 140	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	6.5748 167	5.9449 151	4.3701 111	2.7559 70	1.0236 26	1.8898 48	3.0630 77.8	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	T 215	8.29
UCT 216 216-50	3-1/8	80	9.2520 235	5.5118 140	0.8268 21	4.7638 121	1.6142 41	2.7559 70	1.2598 32	7.2441 184	6.4961 165	4.3701 111	2.7559 70	1.0236 26	2.0079 51	3.2520 82.16	1.3110 33.3	UC 216 216-50	T 216	9.32
UCT 217 217-52	3-1/4	85	10.236 260	6.3780 162	1.1417 29	6.1811 157	1.8898 48	2.8740 73	1.4961 38	7.5953 198	6.8110 173	4.8819 124	2.8740 73	1.1811 30	2.1260 54	3.3740 85.7	1.3425 34.1	UC 217 217-52	T 217	11.96
UCT 218 218-56	3-1/2	90	10.827 275	6.6929 170	1.1811 30	5.5118 140	1.8898 48	3.1496 80	1.5748 40	8.4646 215	7.4803 190	5.1181 130	3.1496 80	1.1811 30	2.1654 55	3.7795 96	1.5638 19.7	UC 218 218-56	T 218	14.73

CATÁLOGO ROLAMENTOS





Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)									Rolamento Nº	Alojamento Nº	Peso (kg)
	d		h	a	e	b	N	g	w	S	B			
	Poleg.	mm												
SAPP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	0.8740 22.2	3.3858 86	2.6772 68	0.9842 25	0.3740 9.5	0.1260 3.2	0.7244 43.8	0.2362 6.0	1.1250 28.6	SA 201 201-8 202 202-10 203 203-11	PP 203	0.21
SAPP 204 204-12	3/4	20	1.0000 25.4	3.8583 98	2.9921 76	1.2598 32	0.3740 9.5	0.1260 3.2	1.9882 50.5	0.2756 7.0	1.2205 31	SA 204 204-12	PP 204	0.27
SAPP 205 205-14 202-15 202-16	7/8 15/16 1	25	1.1260 28.6	4.2520 108	3.3858 86	1.2598 32	0.4528 11.5	0.1575 4.0	2.2883 56.6	0.2953 7.5	1.2205 31	SA 205 205-14 202-15 202-16	PP 205	0.34
SAPP 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	1.3110 33.3	4.6063 117	3.7402 95	1.4961 38	0.4528 11.5	0.1575 4.0	2.6102 66.3	0.3150 8.0	1.4055 35.7	SA 206 206-17 206-18 206-19 206-20	PP 206	0.52
SAPP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	1.5630 39.7	5.0787 129	4.1732 106	1.6535 42	0.4528 11.5	0.1811 4.6	3.0709 78.0	0.3346 8.5	1.5315 38.9	SA 207 207-20 207-21 207-22 207-23	PP 207	0.73

CATÁLOGO ROLAMENTOS





Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	d		a	e	g	N	L	H	S	B			
	Poleg.	mm											
SAPFT 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.1890 81	2.4803 63	0.1575 4.0	0.2756 7	0.5512 14	1.1417 29	0.2362 6.0	1.1260 28.6	SA 201 201-8 202 202-10 203 203-11	PFT 203	0.24
SAPFT 204 204-12	3/4	20	3.5443 90	2.7953 71	0.1575 4.0	0.3543 9	0.6693 17	1.2992 33	0.2756 7.0	1.2205 31.0	SA 204 204-12	PFT 204	0.31
SAPFT 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.9921 76	0.1575 4.0	0.3543 9	0.7087 18	1.3780 35	0.2953 7.5	1.2205 31.0	SA 205 205-14 202-15 202-16	PFT 205	0.37
SAPFT 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4448 113	3,5433 90	0.2047 5.2	0.4331 11	0.7480 19	1.4961 38	0.3150 8.0	1.4055 35.7	SA 206 206-17 206-18 206-19 206-20	PFT 206	0.60
SAPFT 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	14.8031 122	3.9370 100	0.2047 5.2	0.4331 11	0.8268 21	1.7323 44	0.3346 8.5	1.5315 38.9	SA 207 207-20 207-21 207-22 207-23	PFT 207	0.90
SAPFT 208 208-24 208-25	1-1/2 1-9/16	40	5.8268 148	4.6850 119	0.2677 6.8	0.5512 14	0.8268 21	1.9685 50	0.3543 9.0	1.7205 43.7	SA 208 208-24 208-25	PFT 208	1.16

CATÁLOGO ROLAMENTOS





Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	d		a	e	g	N	L	b	S	B			
	Poleg.	mm											
SBPFL 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.12890 81	2.5000 63.5	0.1575 4.0	0.2756 7	0.5512 14	2.3228 59	0.2362 6.0	0.8661 22	SB 201 201-8 202 202-10 203 203-11	PFL 203	0.17
SBPFL 204 204-12	3/4	20	3.543 90	2.8150 71.5	0.1575 4.0	0.3543 9	0.6299 16	2.6378 67	0.2756 7.0	0.9842 25	SB 204 204-12	PFL 204	0.24
SBPFL 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.9921 76	0.1575 4.0	0.3543 9	0.7087 18	2.7953 71	0.2953 7.5	1.0630 27	SB 205 205-14 202-15 202-16	PFL 205	0.30
SBPFL 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.4488 113	3.5630 90.5	0.2047 5.2	0.4331 11	0.7480 19	3.3071 84	0.3150 8.0	1.1811 30	SB 206 206-17 206-18 206-19 206-20	PFL 206	0.45
SBPFL 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	4.9213 125	3.9370 100	0.2047 5.2	0.4331 11	0.8661 22	3.7008 94	0.3346 8.5	1.2598 32	SB 207 207-20 207-21 207-22 207-23	PFL 207	0.59
SBPFL 208 208-24 208-25	1-1/2 1-9/16	40	5.8268 148	4.6850 119	0.2677 6.8	0.5512 14	0.9055 23	4.3307 110	0.3453 9.0	1.3366 34	SB 208 208-24 208-25	PFL 208	0.84

CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)								Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	a	e	i	g	L	N	P	S			
UCF 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	3.3858 86	2.5197 64	0.5906 15	0.4331 11	1.0039 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 201 201-8 202 202-10 203 203-11	F 203	1.00
UCF 204 204-12	3/4	20	3.3558 86	2.5197 64	0.5906 15	0.4724 12	1.0030 25.5	0.4724 12	1.3110 33.3	0.5000 12.7	UC 204 204-12	F 204	0.95
UCF 205 205-14 202-15 202-16	7/8 15/16 1	25	3.7402 95	2.7559 70	0.6299 16	0.5512 14	1.0630 27	0.4724 12	1.4094 35.8	0.5630 14.3	UC 205 205-14 202-15 202-16	F 205	1.20
UCF 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	4.2520 108	3.2677 83	0.7987 18	0.5630 14.3	1.2205 31	0.4724 12	1.5827 40.2	0.6260 15.9	UC 206 206-17 206-18 206-19 206-20	F 206	1.89
UCF 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	4.6063 117	3.6220 92	0.7480 19	0.6063 15.5	1.3386 34	0.5512 14	1.7480 44.4	0.6890 17.5	UC 207 207-20 207-21 207-22 207-23	F 207	2.39
UCF 208 208-24 208-25	1-1/2 1-9/16	40	5.1181 130	4.0157 102	0.8268 21	0.6063 15.5	1.4173 36	0.6299 16	2.0157 51.2	0.7480 19.0	UC 208 208-24 208-25	F 208	2.79
UCF 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	5.3937 137	4.1338 105	0.8661 22	0.6890 17.5	1.4961 38	0.6299 16	2.0551 52.2	0.7480 19.0	UC 209 209-26 209-27 209-28	F 209	3.18
UCF 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	5.6299 143	4.3701 111	0.8661 22	0.6890 17.5	1.5748 40	0.6299 16	2.1496 54.6	0.7480 19.0	UC 210 210-29 210-30 210-31 210-32	F 210	3.68
UCF 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	6.3780 162	5.1181 130	0.9842 25	0.7677 19.5	1.6929 43	0.7480 19	2.2992 58.4	0.874 22.2	UC 211 211-32 211-33 211-34 211-35	F 211	3.40
UCF 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	6.8898 175	5.6299 143	1.1417 29	0.7677 19.5	1.8898 48	0.7480 19	2.7047 68.7	1.0000 25.4	UC 212 212-36 212-37 212-38 212-39	F 212	4.17
UCF 213 213-40 213-41	2-1/2 2-9/16	65	7.3622 187	35.8661 149	1.1811 30	0.9055 23	1.9685 50	0.7480 19	2.7441 69.7	1.0000 25.4	UC 213 213-40 213-41	F 213	5.32
UCF 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	7.5984 193	5.9842 152	1.2205 31	0.9055 23	2.1260 54	0.7480 19	12.9685 75.4	1.1890 30.2	UC 214 214-42 214-43 214-44	F 214	5.92
UCF 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	7.8740 200	16.2598 159	1.3386 34	0.9055 23	2.2047 56	0.7480 19	3.0906 78.5	1.3110 33.3	UC 215 215-45 215-46 215-47 215-48	F 215	6.65
UCF 216 216-50	3-1/8	80	8.1890 208	6.4961 165	1.3386 34	0.9449 24	2.2835 58	0.9055 23	3.2795 83.3	1.3110 33.3	UC 216 216-50	F 216	7.89
UCF 217 217-52	3-1/4	85	8.6614 220	6.8898 175	1.4173 36	0.9842 25	2.4803 63	0.9055 23	3.4488 87.6	1.3425 34.1	UC 217 217-52	F 217	9.18
UCF 218 218-56	3-1/2	90	9.2520 235	7.322 187	1.5748 40	1.0236 26	2.6772 68	0.9055 23	3.7913 96.3	1.5630 39.7	UC 218 218-56	F 218	11.20

CATÁLOGO ROLAMENTOS



Unidade de Rolamento Nº	Diâmetro do Furo		Dimensões (Polegadas) ou (mm)										Rolamento Nº	Alojamento Nº	Peso (kg)
	Poleg.	mm	h	a	e	b	S ₁	S ₂	g	W	S	B			
UCP 201 201-8 202 202-10 203 203-11	1/2 5/8 11/16	12 15 17	1.1890 30.2	5.0000 127	3.7795 96	1.4173 36	0.5118 13	0.7480 19	0.5118 13	2.3622 60	0.5000 12.7	1.2205 31	UCP 201 201-8 202 202-10 203 203-11	P 203	0.75
UCP 204 204-12	3/4	20	1.3110 33.3	5.0000 127	3.7402 95	1.4961 38	0.5118 13	0.7480 19	0.5512 14	2.5590 65	0.5000 12.7	1.2205 31	UCP 204 204-12	P 204	0.73
UCP 205 205-14 202-15 202-16	7/8 15/16 1	25	1.4370 36.5	5.5118 140	4.1338 105	1.49612 38	0.5118 13	0.7480 19	0.5906 15	2.7953 71	0.5630 14.3	1.3425 34.1	UCP 205 205-14 202-15 202-16	P 205	0.91
UCP 206 206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	1.6890 42.9	6.4961 165	4.7638 121	1.8898 48	0.6693 17	0.8268 21	0.6693 17	3.2677 83	0.6260 15.9	1.5000 38.1	UCP 206 206-17 206-18 206-19 206-20	P 206	1.32
UCP 207 207-20 207-21 207-22 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	1.8740 47.6	6.5748 167	5.0000 127	1.8898 48	0.6693 17	0.8268 21	0.7087 18	3.6614 93	0.6890 17.5	1.6890 42.9	UCP 207 207-20 207-21 207-22 207-23	P 207	1.72
UCP 208 208-24 208-25	1-1/2 1-9/16	40	1.9370 49.2	7.2441 184	5.3939 137	2.1260 54	0.6693 17	0.8268 21	0.7078 18	3.8583 98	0.7480 19.0	1.9370 49.2	UCP 208 208-24 208-25	P 208	2.14
UCP 209 209-26 209-27 209-28	1-5/8 1-11/16 1-3/4	45	2.1260 54.0	7.4803 190	5.7480 146	2.1260 54	0.6693 17	0.8268 21	0.7874 20	4.1732 106	0.7480 19.0	1.9370 49.2	UCP 209 209-26 209-27 209-28	P 209	2.45
UCP 210 210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2	50	2.2520 57.2	8.1102 206	6.2598 159	2.3622 60	0.7874 20	0.9842 25	0.8268 21	4.4882 114	0.7480 19.0	2.0315 51.6	UCP 210 210-29 210-30 210-31 210-32	P 210	3.10
UCP 211 211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16	55	2.5000 63.5	8.6220 219	6.7323 171	2.3622 60	0.7874 20	0.9842 25	0.9055 23	4.9606 126	0.8740 22.2	2.1890 55.6	UCP 211 211-32 211-33 211-34 211-35	P 211	3.85
UCP 212 212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	2.7480 69.8	9.4882 241	7.2441 184	2.7559 70	0.7874 20	0.9842 25	0.9842 25	5.4331 138	1.0000 25.4	2.5630 65.1	UCP 212 212-36 212-37 212-38 212-39	P 212	5.10
UCP 213 213-40 213-41	2-1/2 2-9/16	65	3.0000 76.2	10.394 264	7.9921 203	2.7559 70	0.9842 25	1.1811 30	1.0630 27	5.9449 151	1.0000 25.4	2.5630 65.1	UCP 213 213-40 213-41	P 213	6.26
UCP 214 214-42 214-43 214-44	2-5/8 2-11/16 2-3/4	70	3.1260 79.4	10.472 266	8.2677 210	2.8346 72	0.9842 25	1.1811 30	1.0630 27	6.1811 157	1.1890 30.2	2.9370 74.6	UCP 214 214-42 214-43 214-44	P 214	6.90
UCP 215 215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3	75	3.2520 82.6	10.827 275	8.5433 217	2.9134 74	0.9842 25	1.1811 30	1.1024 28	6.4173 163	1.3110 33.3	3.0630 77.8	UCP 215 215-45 215-46 215-47 215-48	P 215	7.62
UCP 216 216-50	3-1/8	80	3.5000 88.9	11.496 292	9.1338 232	3.0709 78	0.9842 25	1.1811 30	1.1811 30	6.8898 175	1.3110 33.3	3.2520 82.6	UCP 216 216-50	P 216	9.03
UCP 217 217-52	3-1/4	85	3.7480 95.2	12.205 310	9.7244 247	3.2677 83	0.9842 25	1.1811 30	1.2598 32	7.3622 187	1.3425 34.1	3.3740 85.7	UCP 217 217-52	P 217	11.28
UCP 218 218-56	3-1/2	90	4.0000 101.6	12.874 327	10.315 262	3.4646 88	1.0630 27	1.4173 36	1.2992 33	7.8740 200	1.5630 39.7	3.7795 96	UCP 218 218-56	P 218	13.45

OBM[®]
HP

Moving on.